

Lubricant Sprays

			Art.-No.	PU	€
SIL Silicone Oil Spray F+	solvent-free Can	1 l	416 11		
	Spray	400 ml	406 90	12	
SF Silicone Grease Spray F+	Spray	400 ml	402 90	12	
	PARA Spray F+				
ISEGA	Spray	400 ml	411 90	12	
TEF Teflon Spray F+ Xi	slip and release agent. Temperature range -180 °C to +260 °C.				
	Spray	400 ml	408 90	12	
GS Graphite Spray F+ Xi	Operating temperature up to 900 °C				
	Spray	400 ml	606 90	12	
ZR Gearwheel Spray F+	(wire cable spray)				
	Spray	400 ml	308 92	12	
RKB Drive Belt Fluid	see page 15				

Repair and Release Sprays

			Art.-No.	PU	€
RS Rust Dissolver Spray F+ Xi N					
	Spray	400 ml	613 90	12	
LS Leck Detector Spray	Pump Bottle	500 ml	410 86	12	
	Spray	400 ml	410 90	12	
	ICE Freezing Spray F+				
Spray	400 ml	617 95	12		
TOS Release Spray F+ Xi					
	Spray	400 ml	407 91	12	
EKamold® Extrusion					
Spray 500 ml (see page 4)			417 90	12	
EKamold® EP					
Spray 500 ml (see page 4)			415 90	12	
EKamold® TG					
Spray 500 ml (see page 4)			416 90	12	

Coating Sprays

			Art.-No.	PU	€
ALU Aluminium Spray F+ Xn	corrosion protection up to 800 °C				
	Spray	400 ml	409 90	12	
ZN Zinc Spray F+ N	can be painted over				
	Spray	400 ml	412 90	12	
ZN bright Zinc Spray F+ Xn					
	Spray	400 ml	413 90	12	



Cleaning Sprays


			Art.-No.	PU	€
RAPID Foam Cleaning Spray F+	foam cleaner				
	Spray	500 ml	624 92	12	
BM Brake and Engine Cleaning Spray F+ Xi	cold cleaner				
	Spray	400 ml	979 96	12	
LM Solvent Spray	cleans and removes marking paint				
	Spray	300 ml	603 91	12	

			Art.-No.	PU	€
Engineer's Marking Paste					
For testing surface finishes. Evenness of applied colour coating indicates quality of machine finish. Temperature range: - 10 bis + 40 °C					
blue	Can	225 g	600 11		
	Tube	60 g	600 21	12	
	from 96 cans on				
red	Can	225 g	600 12		
	Tube	70 g	600 22	12	
	from 96 cans on				
white	Can	225 g	600 13		



			Art.-No.	PU	€
Engineer's Marking Paste SF sprayable					
for application by spray gun					
blue	Tin	750 ml	600 40		
Engineer's Marking Paste BS					
heat-resistant up to 200 °C					
blue	Can	225 g	600 15		
	Tube	60 g	600 25	12	
Engineer's Marking Paste HT					
high temperature resistant up to 300 °C					
blue	Tin	500 ml	600 14		
High-performance Cleaner R 16					
for removing marking paste					
	Container	20 l	611 47	je l	
	Container	2 x 5 l	611 46	je l	
	Bottle	1 l	611 41		
	Container	5 l	611 43	je l	
W4 Stone Care					
Polymer wax for maintenance of polished hard rock tiles and panels					
	Can	10 l	978 56	je l	
	Can	1 l	978 51		

			Art.-No.	PU	€
Marking Fluid					
For marking metallic surfaces. Easily removable with -diamant- solvent. Dries quickly, no mirror effect, good adherence.					
blue					
	Can	500 ml	601 41		
	from 24 cans on				
	Spray	300 ml	601 91	12	
	Sick		601 31		
<small>without characterization</small>					
rot					
	Can	500 ml	601 42		
	from 24 cans on				
	Spray	300 ml	601 92	12	
weiß					
	Can	500 ml	601 43		



			Art.-No.	PU	€
Solvent Spray					
cleans and removes marking paint.					
	Spray	300 ml	603 91	12	
Anti-Graffiti					
removes marking fluid. Short reaction time. No volatile solvents.					
	Can	10 l	907 45	per l	
1 spray head					
per PU	Pump bottle	500 ml	907 86	6	
additional spray head					



Anti-Graffiti

removes marking fluid. Short reaction time.
No volatile solvents.

	Art.-No.	PU	€
Can 10 l	907 45	per l	
1 spray head per PU Pump bottle 500 ml additional spray head	907 86	6	

High-performance Cleaner R 16

for removing marking paste

Container 20 l	611 47	je l	
Container 2 x 5 l	611 46	je l	
Bottle 1 l	611 41		
Container 5 l	611 43	je l	

Drive Belt Wax

Adhesion and conserving agent.
Increases traction force, extends
service life.

Stick 420 g	621 61		
-------------	--------	--	--

RKB Drive Belt Fluid

Ensures easy belt running,
increases traction force and
extends service life.
No crusting.

F+ Can approx. ca. 1 l Spray 400 ml	622 41		
	622 90	12	



CEM Chemical and Oil Film Binder

CEM Chemical and Oil Film Binder

- One Bucket of 5 kg binds ca. 200 l of spilled chemicals. Saves binding material and disposal costs
- CEM Binder removes slippery materials due to its fine particle size.
- integrated chemical indicator: CEM Binder turns blue if the spilled material is acid, and yellow for alkaline.
- CEM Binder swells quickly hereby walling in the spillage quickly.

	Art.-No.	PU	€
Bucket 5 kg	944 16	per kg	
Carton 4x5 kg	944 17	per kg	
Bolt 1 kg	944 19	per kg	
Carton 20x1 kg	944 28	per kg	



	Page		Page		Page
A		H		S	
All-Gas Valve Type 4	9	Hot Bearing Grease	10	Silicone Greases	9
ALM Grease	9	High-performance Cleaner R16	14	Silicone Oil	10
ALU Aluminium Spray	13	High Temperature Grease	10	Silicone Paste	9, 10
Anti-Graffiti	14	High-vacuum Grease S8	9	Silicone Remover	10
Assembly Greases	12			Silicone Oil Spray	10, 13
Assembly Grease Cu	12	I		Silicone Grease Spray	10, 13
Armature Grease	9	ICE Freezing Spray	13	SIL-San	10
				Slip Agent GSR for Tubing	9
B		J		Solvent Spray	13
Belt Drive Traction Wax	15	Joint Grease	12	Special Lapping Paste	7
BHF Special Valve Grease	9			Special Valve Grease	9
Blue Polishing Paste in Cake Form	8	L		Special White Vaseline	11
Boron Carbide Powder	5	Lapping Paste	5-7	Stone Care W4	14
Brown Lapping Paste in Cake Form	8	Leck Detector Spray	13	SUPER-Diamant	7
BM Brake & Engine Cleaning Spray	13	Long-term Grease	10	Supra White, Polishing Paste	8
C		M		T	
CEM Binder	15	Marking Fluid	14	Talcum	12
Chemical and Oil Film Binder	15	Mould release	4	TEF EP Grease	12
Cleaning Stone	8	Multipurpose Grease	10	TEF PTFE Spray	12, 13
Cleaner R16	14	Multipurpose EP Grease with MoS ₂	12	TETRABOR® Boron Carbide Powder	5
Cold Resistant Grease	11			TETRABOR® Grinding Paste	5
Colloidal Graphite Paste	12	O		Thermally Conductive Paste	10
Contact Grease	11	Oil Film Binder CEM	15	Thread Cutting Grease	11
Copper Paste	12	Oil-soluble Pastes	5-7	Thread Cutting Paste	11
Cutting Grease	11			TOS Release Spray	13
		P			
D		PARA-Spray	13	U	
Diamond Grain Paste	7	PEGO	6	ULTRA-Diamant	7
Diluting agent	6	Pole Grease	11	Universal Polishing Paste	8
Dressing Paste	14	Polishing and Grinding Pastes	7, 8		
Drive Belt Wax	15	Polishing Stone	8	V	
		Powder Graphite	12	Vacuum Grease S8	9
E		Prec-grinding Paste in Cake Form	8	Vaseline	11
EKamold® Suspensions	4	PTFE-grease	9	Valve Grease	9
EKamold® Aerosol	4, 13				
Engineer's Marking Paste	14	R		W	
Ethanol-based boron nitride suspensions	4	RAPID Foam Cleaning Spray	13	W4 Stone Care	14
Extra-fine polishing Stone	8	R16 High-performance Cleaner	14	Water-based Pastes	5, 6, 8
		Red Polishing Paste in Cake Form	8	Water-based boron nitride suspensions	4
F		RKB Belt Drive Traction	13, 15	Water Pump Grease	11
Fast Fine Grinding Paste	7	RS Rust Dissolver Spray	13	White-Beige polishing Paste in Cake Form	8
Flow Grease	11			White High-performance Fitting Paste	12
Flake Graphite	12			White Special Vaseline	11
Freezing Spray	13				
				Z	
G				ZN Zinc Spray	13
Gas Appliances Grease	9			ZN bright Zinc Spray	13
Graphite	12			ZR Gearwheel Spray	13
Graphite Grease	12				
Graphite Spray	12, 13				
Green Lapping Paste	8				
Green Polishing Paste in Cake Form	8				
Grinding Compound (oil-soluble)	5, 6				
Grinding Compound (water-soluble)	5, 6				
Grinding and Polishing Pastes	6, 7				
GSR Slip Agent for Tubing	9				