


WZ8061

Пружины витые круглого сечения

Допуск: DIN 2095⁽²⁾ 1H = 0,102 кг (с)




REF Da x Lo	Di	Lo	d	Da	Ln	Lbi	Fn (N)	Sn
WZ8061x3x8,7	2,0	8,7	0,50	3,0	6,5	5,25	10,4	2,2
WZ8061x3x17,5	2,0	17,5	0,50	3,0	12,8	10,25	10,4	4,7
WZ8061x3x6,6	1,74	6,6	0,63	3,0	5	4,73	34,4	1,6
WZ8061x3x16,5	1,74	16,5	0,63	3,0	12	11,03	34,4	4,4
WZ8061x4,8x28	3,2	28,0	0,8	4,8	9,8	8,4	31,9	8,9
WZ8061x4,8x14	3,2	14,0	0,8	4,8	19,1	16,4	31,9	3,3
WZ8061x6x12,9	3,6	12,9	1,2	6,0	9,6	9,0	109,0	3,3
WZ8061x6x32	3,6	32,0	1,2	6,0	22,9	18,6	109,0	9,1
WZ8061x6x17	4,0	17,0	1,0	6,0	12,6	10,5	43,7	4,4
WZ8061x6x34	4,0	34,0	1,0	6,0	24,6	20,5	43,7	9,4
WZ8061x7,55x25	5,05	25	1,25	7,55	13,8	13,13	133,0	11,2
WZ8061x7,55x51,5	5,05	51,5	1,25	7,55	27,1	25,63	133,0	24,4
WZ8061x9x19	7,0	19	1,0	9,0	10,1	7,5	33,1	8,9
WZ8061x9x28,5	7,0	28,5	1,0	9,0	14,3	10,5	33,1	14,2
WZ8061x9x59	7,0	59	1,0	9,0	28,3	20,5	33,1	30,7
WZ8061x10x40	7,0	40	1,5	10,0	23,9	17,5	141,0	16,1
WZ8061x12x55	9,0	55	1,5	12,0	25,3	21,5	108,0	29,7
WZ8061x14x40	10,0	40	2,0	14,0	22,4	17,5	206,0	17,6
WZ8061x14x50	10,0	50	2,0	14,0	25	22,5	245,0	25
WZ8061x15x40	11,0	40	2,0	15,0	20	17,0	216,0	20
WZ8061x17x85	12,5	85	2,25	17,0	41	32,5	255,0	44
WZ8061x17,5x50	11,5	50	3,0	17,5	34	31,5	471,0	16
WZ8061x18x83	10,0	83	4,0	18,0	65	58,0	1324,0	18
WZ8061x19x35	11,0	35	4,0	19,0	27	25,0	1324,0	8
WZ8061x19x90	10,0	90	4,5	19,0	72,4	66,5	1687,0	17,6
WZ8061x19,5x35	14,5	35	2,5	19,5	20	18,5	196,0	15

REF Da x Lo	Di	Lo	d	Da	Ln	Lbi	Fn (N)	Sn
WZ8061x19,5x40	13,0	40	3,0	19,5	26	23,5	442,0	14
WZ8061x20,5x95	15,5	95	2,5	20,5	46,2	36,5	196	48,8
WZ8061x21x40	13,0	40	4,0	21,0	29	26,5	1138	11
WZ8061x21,5x45	15,5	45	3,0	21,5	23,6	21,0	540	21,4
WZ8061x21,5x50	13,5	50	4,0	21,5	34,3	31,5	1138	15,6
WZ8061x22x50	16,0	50	3,0	22,0	27,8	25,2	451	22,2
WZ8061x22x70	16,0	70	3,0	22,0	41,1	37,5	373	28,9
WZ8061x22x100	16,0	100	3,0	22,0	55	47,5	441	45
WZ8061x25x24	17,0	24	4,0	25,0	16,8	14,5	942	7,2
WZ8061x27,8x70	13,8	70	4,0	27,8	59	56,0	3679	11
WZ8061x28x80	20,0	80	4,0	28,0	50	46,0	618	30
WZ8061x28x100	20,0	100	4,0	28,0	62	55,0	638	38
WZ8061x30x70	22,0	70	4,1	30,0	36	32,0	804	34
WZ8061x30x150	17,0	150	6,5	30,0	122	106,0	2845	28
WZ8061x32x80	20,0	80	6,0	32,0	63,6	60,0	1452	16,4
WZ8061x32x100	20,0	100	6,0	32,0	82	75,0	1334	18
WZ8061x32x130	20,0	130	6,0	32,0	96,3	90,0	1884	33,7
WZ8061x32x160	20,0	160	6,0	32,0	116	109,0	2011	44
WZ8061x32x200	20,0	200	6,0	32,0	151	141,5	1697	49
WZ8061x32x240	20,0	240	6,0	32,0	180	167,0	1766	60
WZ8061x38x160	26,0	160	6,0	38,0	120	111,0	981	40
WZ8061x38x200	26,0	200	6,0	38,0	145	135,5	1079	55
WZ8061x38x240	26,0	240	6,0	38,0	170	155,0	1197	70
WZ8061x38x280	26,0	280	6,0	38,0	190	173,0	1337	90
WZ8061x50x60	32,0	60	6,0	50,0	45,2	42,7	4410	14,8
WZ8061x50x140	32,0	140	6,0	50,0	96,5	89,0	5100	43,5

WZ8062

Пружины витые круглого сечения

1H = 0,102 кг (с)



REF Da x Di	Da	Di	L	d	Pn	Sn
WZ8062x10x7	10,0	7,0	3,6	1,5	130	200
WZ8062x12x9	12,0	9,0	4,6	1,5	110	270
WZ8062x14x10	14,0	10,0	5,0	2,0	210	220
WZ8062x15x11	15,0	11,0	5,3	2,0	220	250
WZ8062x17x12,5	17,0	12,5	6,1	2,3	260	260
WZ8062x17,5x11,5	17,5	11,5	6,1	3,0	490	156
WZ8062x18x10	18,0	10,0	5,8	4,0	1330	108
WZ8062x19x10	19,0	10,0	6,5	4,5	1690	100
WZ8062x19,5x14,5	19,5	14,5	5,3	2,5	200	214
WZ8062x19,5x13,5	19,5	13,5	6,2	3,0	450	175
WZ8062x20,5x15,5	20,5	15,5	7,0	2,5	200	257
WZ8062x21x13	21,0	13,0	6,7	4,0	1140	137


REF Da x Di	Da	Di	L	d	Pn	Sn
WZ8062x21,5x15,5	21,5	15,5	7,8	3,0	540	238
WZ8062x21,5x13,5	21,5	13,5	7,2	4,0	1140	156
WZ8062x25x17	25,0	17,0	8,0	4,0	950	150
WZ8062x27x19	27,0	19,0	8,5	4,0	981	257
WZ8062x27,8x13,8	27,8	13,8	9,2	7,0	3680	80
WZ8062x30x22	30,0	22,0	10,2	4,0	810	243
WZ8062x30x17	30,0	17,0	9,5	6,5	2850	93
WZ8062x32x20	32,0	20,0	9,5	6,0	2110	128
WZ8062x35x25	35,0	25,0	10,5	5,0	1275	246
WZ8062x42x26	42,0	26,0	13,0	8,0	3830	138
WZ8062x53x31	53,0	31,0	15,5	11,0	6620	107

WZ8065

Пружины витые прямоугольного сечения с закруглёнными краями

Материал: пружинная сталь по DIN 17
223/1 - Допуск по DIN 2095(2))

1H = 0,102 кг (с)




REF Da x Lo	Da	Lo	Di	a x b	Ln	LBI	Sn	Fn (N)
WZ8065x11x20	11,0	20	7,0	2 x 1,25	10	9,5	10	196
WZ8065x12,5x20	12,5	20	7,5	2,5 x 1,5	13	12,0	7	265
WZ8065x13x50	13,0	50	9,0	2 x 1,25	20	18,0	30	147
WZ8065x14x25	14,0	25	8,0	3 x 1,6	15	13,5	10	392
WZ8065x15,5x25	15,5	25	8,5	3,5 x 2,2	17	15,5	8	736
WZ8065x17x50	17,0	50	9,0	4 x 2	32	30,0	18	687
WZ8065x17,6x30	17,6	30	9,6	4 x 2	18	17,0	12	687
WZ8065x25x54	25,0	54	13,0	6 x 3	35	32,0	19	1177
WZ8065x25x77	25,0	77	13,0	6 x 3	50	44,0	27	1177
WZ8065x25x123	25,0	123	13,0	6 x 3	79	72,0	44	1177
WZ8065x32x69	32,0	69	17,0	7,5 x 4	45	43,0	24	2453
WZ8065x32x98	32,0	98	17,0	7,5 x 4	64	61,0	34	2453
WZ8065x38x67	38,0	67	21,0	8,5 x 5	45	44,0	22	2943
WZ8065x38x102	38,0	102	21,0	8,5 x 5	68	64,0	34	2943
WZ8065x38x147	38,0	147	21,0	8,5 x 5	97	90,0	50	2943

WZ8071

Пружины витые прямоугольного сечения с закруглёнными краями

$1H = 0,102 \text{ кг (с)}$

Материал: пружинная сталь по
DIN 17 223/1 - Допуск по DIN 2095(2)



REF Da x Lo	Da	Lo	Di	a x a	Ln	LBI	Sn	Fn (N)
WZ8071x10x20	10,0	20	7,0	1,5 x 1,5	12,6	11,5	7,4	167
WZ8071x11,5x20	11,5	20	7,5	2 x 2	14,2	13,5	5,8	285
WZ8071x12x50	12,0	50	9,0	1,5 x 1,5	23,2	22,0	26,8	128
WZ8071x12,5x25	12,5	25	7,5	2,5 x 2,5	21,0	18,7	4,0	442
WZ8071x14x50	14,0	50	9,0	2,5 x 2,5	37,5	33,0	12,5	412
WZ8071x14,5x32	14,5	32	8,2	2,5 x 2,5	21,6	19,8	10,4	510
WZ8071x17,5x45	17,5	45	9,5	4 x 4	37,8	35,5	7,2	1570
WZ8071x19x50	19,0	50	11,0	4 x 4	39,4	36,5	10,6	1717
WZ8071x19,5x45	19,5	45	11,5	4 x 4	35,2	32,5	9,8	1570
WZ8071x21x45	21,0	45	13,0	4 x 4	34,0	32,0	11,0	1275
WZ8071x23x83	23,0	83	15,0	4 x 4	58,4	55,0	24,6	1099
WZ8071x26x45	26,0	45	14,0	6 x 6	40,2	37,0	4,8	2943
WZ8071x28x98	28,0	98	14,0	7 x 7	83,5	81,0	14,5	5297
WZ8071x30x50	30,0	50	21,0	4,5 x 4,5	32,5	30,5	17,5	1236
WZ8071x36x50	36,0	50	26,0	5 x 5	31,0	29,0	19,0	1334
WZ8071x42x72	42,0	72	26,0	8 x 8	55,5	53,0	16,5	4611