



D ... H3

Dipofil, алмазные шлифовальные наконечники, гальванизированные





Артикул	Ø головки D	Длина головки T	Ø хвостовика	Общая длина L	Зерно		Форма
D 0308L H3	0,8	4,0	3	46 B = 7	D 107	1	
D 0310L H3	1,0	4,0	3	46 B = 8	D 107	1	
D 0315L H3	1,5	4,0	3	46 B = 10	D 107	1	
D 0320L H3	2,0	5,0	3	46 B = 14	D 151	1	
D 0320L H3 D64	2,0	5,0	3	46 B = 14	D 64	1	
D 0325L H3	2,5	5,0	3	46 B = 19	D 151	1	
D 1325 H3	2,5	7,0	3	46 B = 19	D 151	1	
D 0330L H3	3,0	5,0	3	46 B = 19	D 151	1	
D 0330L H3 D64	3,0	5,0	3	46 B = 19	D 64	1	
D 0335L H3	3,5	5,0	3	44	D 151	1	
D 0340L H3	4,0	5,0	3	44	D 151	1	
D 0345L H3	4,5	5,0	3	44	D 151	1	
D 0350L H3	5,0	6,0	3	45	D 151	1	
D 0352 H3	5,5	6,0	3	45	D 151	1	
D 0354 H3	6,0	6,0	3	45	D 151	1	
D 1354 H3	6,0	10,0	3	49	D 151	1	
D 6258 H3	7,0 d = 4,5 R = 10	10,0	3	49	D 151	1	
D 6054 H3	6,0 R = 3	10,0	3	49	D 151	1	
D 0116 H3	1,7	-	3	46	D 151	1	
D 0116 H3 D64	1,7	-	3	46	D 64	1	
D 0120 H3	2,1	-	3	46	D 151	1	
D 0124 H3	2,5	-	3	46	D 151	1	
D 0130 H3	3,0	-	3	46	D 151	1	
D 0130 H3 D64	3,0	-	3	46	D 64	1	
D 0140 H3	4,1	-	3	46	D 151	1	
D 0150 H3	5,0	-	3	46	D 151	1	
D 0154 H3	6,0	-	3	46	D 151	1	

• upon request



Diprol, алмазные шлифовальные наконечники, гальванизированные

D ... H3

Артикул	Ø головки D	Длина головки T	Ø хвостовика	Общая длина L	Зерно		Форма
D 0916 H3	1,6 R = 45	7,5	3	46	D 151	1	
D 0916L H3	1,6 R = 45	10,0	3	46	D 151	1	
D 0916L H3 D64	1,6 R = 45	10,0	3	46	D 64	1	
D 0924 H3	2,4 R = 30	7,5	3	46	D 151	1	
D 0924L H3	2,4 R = 30	10,0	3	46	D 151	1	
D 0924L H3 D64	2,4 R = 30	10,0	3	46	D 64	1	
D 5830 H3	3,1 a = 30°	5,0	3	46	D 151	1	
D 5830 H3 D64	3,1 a = 30°	5,0	3	46	D 64	1	
D 5562 H3	8,0 a = 90°	3,9	3	43,2	D 151	1	
D 5662 H3	8,0 a = 60°	6,6	3	45,9	D 151	1	
D 0712 H3	1,3 d = 0,7 a = 4°	9,0	3	46	D 151	1	
D 0716 H3	1,6 d = 0,8 a = 5°	9,0	3	46	D 151	1	
D 0720 H3	1,9 d = 1,1 a = 5°	9,0	3	46	D 151	1	
D 0720 H3 D64	1,9 d = 1,1 a = 5°	9,0	3	46	D 64	1	
D 0516L H3	1,6 d = 0,9 a = 4°	10,0	3	46	D 151	1	
D 0521L H3	2,1 d = 1,4 a = 4°	10,0	3	46	D 151	1	
D 0521L H3 D64	2,1 d = 1,4 a = 4°	10,0	3	46	D 64	1	
D 0526 H3	2,6 d = 1,75 a = 4°	3,0	3	46	D 151	1	
D 5858 H3	7,0 d = 2,0 a = 30°	10,0	3	49	D 151	1	
D 5756 H3	8,0 d = 1,4 a = 45°	8,5	3	47,5	D 151	1	

• upon request





7





D ... H3

Dipроfil, алмазные шлифовальные наконечники, гальванизированные

Артикул	Ø головки D	Длина голов- ки T	Ø хво- стови- ка	Общая длина L	Зерно		Форма
D 0954 H3	6,0 R = 17	10,0	3	49	D 151	1	
D 0224 H3	2,4 d = 1,5 a = 20°	3,0	3	46	D 151	1	
D 0224 H3 D64	2,4 d = 1,5 a = 20°	3,0	3	46	D 64	1	
D 5456 H3	6,5 d = 3,5 a = 15°	10,0	3	49	D 151	1	
D 5062 H3	8,0 d = 3,0 a = 90°	2,15	3	42	D 151	1	
D 6154 H3	6,0 d = 3,5 a = 20° R = 3	10,0	3	49	D 151	1	
D 1525 H3	7,3	0,8	3	40	D 151	1	 

• upon request